



SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	LanoSoft Liquid Laundry Soap
Other means of identification	Not available
Recommended use	Dish Soap
Recommended restrictions	None known.
Manufacturer information	Pro Products LLC 6714 Pointe Inverness Way Suite 200 Fort Wayne, IN 46804-7935 US Phone: 260-483-2519 Emergency Phone: 1-800-424-9300 (CHEMTREC)
Supplier	See above.

2. Hazards Identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	
Label elements		



Signal word	Warning
Hazard statement	Causes serious eye irritation.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear eye protection.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of container in accordance with local, regional, national and international regulations.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
2-Methyl-4-isothiazolin-3-one		2682-20-4	>1
Citric Acid		77-92-9	>1
Dodecylbenzene sulphonic acid		Trade Secret	>1
Ethoxylated alcohol		Trade Secret	>1
Polydimethylsiloxane		Trade Secret	>1
Sodium borate		1303-96-4	>1
Sodium hydroxide		1310-73-2	>1

Chemical name	Common name and synonyms	CAS number	%
Sodium lauryl ether sulfate		Trade Secret	>1
Composition comments	US GHS: The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. *CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.		

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self-contained breathing apparatus.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling	Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material.
Conditions for safe storage, including any incompatibilities	Store in a closed container away from incompatible materials. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Sodium borate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable
	TWA	2 mg/m3	Inhalable
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Sodium borate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Sodium borate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value
Sodium borate (CAS 1303-96-4)	TWA	5 mg/m3
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Sodium hydroxide (CAS 1310-73-2)	PEL	2 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Sodium borate (CAS 1303-96-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Sodium borate (CAS 1303-96-4)	TWA	5 mg/m3
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

This material does not have established exposure limits.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields.
Skin protection	
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.
Other	Wear suitable protective clothing. As required by employer code.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Wash hands before breaks and immediately after handling the product. When using do not eat or drink.

9. Physical and Chemical Properties

Appearance	Viscous
Physical state	Liquid.
Form	Liquid
Color	Water white
Odor	Odorless
Odor threshold	Not available.
pH	9.5 - 10.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C)
Pour point	Not available.
Specific gravity	1.03 - 1.07
Partition coefficient (n-octanol/water)	Not available.
Flash point	None
Evaporation rate	< 1 (BuAc=1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1 (air=1)
Relative density	Not available.
Solubility(ies)	Complete
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	100 - 300 cP

10. Stability and Reactivity

Reactivity	This product may react with oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Contact with incompatible materials. Do not mix with incompatible materials.
Incompatible materials	Acids. Oxidizers. Caustics.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

- Ingestion** May cause stomach distress, nausea or vomiting.
- Inhalation** No adverse effects due to inhalation are expected.
- Skin contact** No adverse effects due to skin contact are expected.
- Eye contact** Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
2-Methyl-4-isothiazolin-3-one (CAS 2682-20-4)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	242 mg/kg, ECHA
<i>Inhalation</i>		
LC50	Rat	0.1 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	235 mg/kg, Ashland SDS 183 mg/kg, Ashland SDS 120 mg/kg, Female, ECHA
Citric Acid (CAS 77-92-9)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Mouse	5400 mg/kg, ECHA 5040 mg/kg, HSDB
	Rat	11700 mg/kg, ECHA 6730 mg/kg, HSDB
Dodecylbenzene sulphonic acid (CAS Trade Secret)		
Acute		
LC50	Not available	
<i>Dermal</i>		
LD50	Not available	
<i>Oral</i>		
LD50	Rat	890 mg/kg, HSDB 650 mg/kg, ECHA
Polydimethylsiloxane (CAS Trade Secret)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg, Wacker Silicones
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	> 1000 mg/kg, Wacker Silicones

Components	Species	Test Results
Sodium borate (CAS 1303-96-4)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours, ECHA 10000 mg/kg, HSDB
<i>Inhalation</i>		
LC50	Rat	> 2.1 mg/L, 4 Hours, ECHA > 2 mg/L, 4 Hours, ECHA > 2 mg/L, 5 hours, ECHA > 0.2 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Dog	2000 mg/kg, ECHA
	Guinea pig	5330 mg/kg, RTECS
	Mouse	3450 mg/kg, ECHA 2000 mg/kg, HSDB
	Rat	> 2600 mg/kg, ECHA > 2500 mg/kg, ECHA > 2000 mg/kg, ECHA > 250 mg/kg, ECHA 5560 mg/kg, ECHA 4080 mg/kg, ECHA 3450 mg/kg, ECHA 3401 mg/kg, ECHA 3305 mg/kg, ECHA 3225 mg/kg, ECHA 3160 mg/kg 2660 mg/kg, RTECS 396 mg/kg, HSDB 6.1 g/kg, ECHA 5.7 g/kg, HSDB
Sodium hydroxide (CAS 1310-73-2)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rabbit	325 mg/kg, ECHA
Sodium lauryl ether sulfate (CAS Trade Secret)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	1600 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	

Serious eye damage/eye irritation	Causes serious eye irritation.
Corneal opacity value	Not available.
Iris lesion value	Not available.
Conjunctival reddening value	Not available.
Conjunctival oedema value	Not available.
Recover days	Not available.
Respiratory or skin sensitization	
Canada - Alberta OELs: Irritant	
Sodium hydroxide (CAS 1310-73-2)	Irritant
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not listed.	
Reproductive toxicity	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity	See below		
Ecotoxicological data			
Components		Species	Test Results
2-Methyl-4-isothiazolin-3-one (CAS 2682-20-4)			
Aquatic			
Crustacea	EC50	Calanoid copepod (<i>Acartia clausi</i>)	0.056 mg/L, 48 Hours
		Water flea (<i>Daphnia magna</i>)	0.18 mg/L, 48 Hours
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>)	0.07 mg/L, 96 Hours
		Rainbow trout, donaldson trout (<i>Oncorhynchus mykiss</i>)	0.07 mg/L, 96 Hours
Citric Acid (CAS 77-92-9)			
<i>Acute</i>			
Crustacea	EC50	<i>Daphnia magna</i>	120 mg/L, 72 hr
Aquatic			
<i>Acute</i>			
Fish	LC50	Bluegill (<i>Lepomis macrochirus</i>)	1516 mg/L, 96 hr
Dodecylbenzene sulphonic acid (CAS Trade Secret)			
Crustacea	EC50	<i>Daphnia</i>	5.88 mg/L, 48 Hours
Sodium hydroxide (CAS 1310-73-2)			
Aquatic			
Crustacea	EC50	Water flea (<i>Ceriodaphnia dubia</i>)	34.59 - 47.13 mg/L, 48 hours
Fish	LC50	Western mosquitofish (<i>Gambusia affinis</i>)	125 mg/L, 96 hours
Sodium lauryl ether sulfate (CAS Trade Secret)			
Aquatic			
Crustacea	EC50	Water flea (<i>Ceriodaphnia dubia</i>)	2.43 - 4.01 mg/L, 48 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		

Mobility in general	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
U.S. Department of Transportation (DOT)	Not regulated as dangerous goods.
Transportation of Dangerous Goods (TDG - Canada)	Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.	
Export Control List (CEPA 1999, Schedule 3)	Not listed.	
Greenhouse Gases	Not listed.	
Precursor Control Regulations	Not regulated.	
WHMIS 2015 Exemptions	Not applicable	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.	
CERCLA Hazardous Substance List (40 CFR 302.4)	Dodecylbenzene sulphonic acid (CAS Trade Secret)	Listed.
	Sodium hydroxide (CAS 1310-73-2)	Listed.
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not listed.	
Superfund Amendments and Reauthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazardous substance	No	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting)	Not regulated.	
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List	Not regulated.	
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)	Not regulated.	

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Dodecylbenzene sulphonic acid (CAS Trade Secret)	Listed.
Sodium borate (CAS 1303-96-4)	Listed.
Sodium hydroxide (CAS 1310-73-2)	Listed.

US - Illinois Chemical Safety Act: Listed substance

Dodecylbenzene sulphonic acid (CAS Trade Secret)	
Sodium hydroxide (CAS 1310-73-2)	

US - Louisiana Spill Reporting: Listed substance

Dodecylbenzene sulphonic acid (CAS Trade Secret)	Listed.
Sodium hydroxide (CAS 1310-73-2)	Listed.

US - Minnesota Haz Subs: Listed substance

Sodium borate (CAS 1303-96-4)	Listed.
Sodium hydroxide (CAS 1310-73-2)	Listed.

US - New Jersey RTK - Substances: Listed substance

Dodecylbenzene sulphonic acid (CAS Trade Secret)	
Sodium borate (CAS 1303-96-4)	
Sodium hydroxide (CAS 1310-73-2)	

US - Texas Effects Screening Levels: Listed substance

Citric Acid (CAS 77-92-9)	Listed.
Dodecylbenzene sulphonic acid (CAS Trade Secret)	Listed.
Sodium borate (CAS 1303-96-4)	Listed.
Sodium hydroxide (CAS 1310-73-2)	Listed.
Sodium lauryl ether sulfate (CAS Trade Secret)	Listed.

US. Massachusetts RTK - Substance List

Dodecylbenzene sulphonic acid (CAS Trade Secret)	
Sodium borate (CAS 1303-96-4)	
Sodium hydroxide (CAS 1310-73-2)	

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law

Dodecylbenzene sulphonic acid (CAS Trade Secret)	
Sodium borate (CAS 1303-96-4)	
Sodium hydroxide (CAS 1310-73-2)	

US. Rhode Island RTK

Sodium borate (CAS 1303-96-4)	
Sodium hydroxide (CAS 1310-73-2)	

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date	29-November-2018
Version #	02
Effective date	16-May-2018
Prepared by	Dell Tech Laboratories Ltd. Phone: (519) 858-5021
Other information	For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.