

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Water Softener Cleaner & Rust Remover, Water Softener Cleaner

Other means of identification

Not available

Recommended use

Rust & Stain Remover

Recommended restrictions

None known.

Manufacturer information

Pro Products LLC 6714 Pointe Inverness Way

Suite 200

Fort Wayne, IN 46804-7935 US

Phone: 260-483-2519

Emergency Phone: 1-800-424-9300 (CHEMTREC)

See above. **Supplier**

2. Hazards Identification

Physical hazards

Not classified.

Health hazards

Serious eye damage/eye irritation

Category 1

Environmental hazards WHMIS 2015 defined hazards Not classified. Not classified

Label elements



Signal word

Danger

Hazard statement

Causes serious eye damage.

Precautionary statement

Prevention

Wear eye protection.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Store away from incompatible materials. Storage

Disposal

Dispose of container in accordance with local, regional, national and international regulations.

WHMIS 2015: Health Hazard(s) not otherwise classified

Contact with acids liberates toxic gas.

(HHNOC)

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)

Contact with acids liberates toxic gas.

Hazard(s) not otherwise

classified (HNOC)

Contact with acids liberates toxic gas.

Supplemental information

None.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Citric Acid		77-92-9	1 - 5*
Sodium carbonate		497-19-8	10 - 30*
Sodium hydrosulfite		7775-14-6	15 - 40*
Sodium metabisulfite		7681-57-4	10 - 30*
Sodium sulfite		7757-83-7	1 - 5*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#20198 Page: 1 of 9 Issue date 27-November-2018

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

*CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First Aid Measures

Inhalation

If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Skin contact

Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Eye contact

Ingestion

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

and ea

Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing.

Obtain medical attention.

Most important

symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods
General fire hazards

Hazardous combustion products

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

May include and are not limited to: Oxides of sulfur. Oxides of carbon.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Use only non-sparking tools. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

#20198 Page: 2 of 9 Issue date 27-November-2018

7. Handling and Storage Keep cool. Do not get this material in contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink. Store in a cool, dry place out of direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep only in the original container. Store away from other materials. Keep out of reach of children. 8. Exposure Controls/Personal Protection

	8. Exposure Controls/Personal Protection					
upational exposure limits						
Canada. Alberta OELs (Occupational F	ealth & Safety Code, Scl	nedule 1, Table 2)				
Components	Туре	Value				
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3				
Safety Regulation 296/97, as amended		s for Chemical Substances, Occupational Health and				
Components	Туре	Value				
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3				
Canada. Manitoba OELs (Reg. 217/200	6, The Workplace Safety	And Health Act)				
Components	Туре	Value				
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3				
Canada. Ontario OELs. (Control of Exp	osure to Biological or Cl	nemical Agents)				
Components	Туре	Value				
Components	.) -	14.45				
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3				
Sodium metabisulfite (CAS 7681-57-4) Canada. Quebec OELs. (Ministry of La	TWA					
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3 ing the Quality of the Work Environment)				
Sodium metabisulfite (CAS 7681-57-4) Canada. Quebec OELs. (Ministry of La Components Sodium metabisulfite (CAS 7681-57-	TWA por - Regulation Respect Type	5 mg/m3 ing the Quality of the Work Environment) Value				
Sodium metabisulfite (CAS 7681-57-4) Canada. Quebec OELs. (Ministry of La Components Sodium metabisulfite (CAS 7681-57-4)	TWA por - Regulation Respect Type	5 mg/m3 ing the Quality of the Work Environment) Value				
Sodium metabisulfite (CAS 7681-57-4) Canada. Quebec OELs. (Ministry of La Components Sodium metabisulfite (CAS 7681-57-4) US. ACGIH Threshold Limit Values	TWA por - Regulation Respect Type TWA	5 mg/m3 ing the Quality of the Work Environment) Value 5 mg/m3				
Sodium metabisulfite (CAS 7681-57-4) Canada. Quebec OELs. (Ministry of La Components Sodium metabisulfite (CAS 7681-57-4) US. ACGIH Threshold Limit Values Components Sodium metabisulfite (CAS	TWA por - Regulation Respect Type TWA Type TWA	5 mg/m3 ing the Quality of the Work Environment) Value 5 mg/m3 Value				
Sodium metabisulfite (CAS 7681-57-4) Canada. Quebec OELs. (Ministry of La Components Sodium metabisulfite (CAS 7681-57-4) US. ACGIH Threshold Limit Values Components Sodium metabisulfite (CAS 7681-57-4)	TWA por - Regulation Respect Type TWA Type TWA	5 mg/m3 ing the Quality of the Work Environment) Value 5 mg/m3 Value				

Biological limit values
Appropriate engineering controls

Precautions for safe handling

Conditions for safe storage,

including any incompatibilities

No biological exposure limits noted for the ingredient(s).

Explosion-proof general and local exhaust ventilation.

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the

Occupational Exposure Limit (OEL), suitable respiratory protection must be worn.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Impervious gloves. Confirm with reputable supplier first.

Other Wear suitable protective clothing. As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134),

CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards Not applicable.

General hygiene When using, do not eat, drink or smoke. When using do not eat or drink. **considerations**

#20198 Page: 3 of 9 Issue date 27-November-2018

9. Physical and Chemical Properties

AppearancePowder.Physical stateSolid.

Form Powder. Free flowing solid

Color White Odor Mint

Odor thresholdNot available.pH5.5 - 6.5Melting point/freezing pointNot available.Initial boiling point and boilingNot available.

range

Pour pointNot available.Specific gravityNot available.Partition coefficientNot available.

(n-octanol/water)

Flash point None

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density 1.2 - 1.3 g/ml Solubility(ies) Not available. Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Do not mix with other chemicals.

Incompatible materials Strong oxidizing agents. Combustible material.

Hazardous decomposition

enong oxidizing agonto. Combactible material.

products

May include and are not limited to: Oxides of sulfur. Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion May cause stomach distress, nausea or vomiting.

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Causes serious eye damage.

#20198 Page: 4 of 9 Issue date 27-November-2018

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute to	oxicity		
Compo	nents	Species	Test Results
Citric Ac	id (CAS 77-92-9)		
	Acute		
	Dermal	Dot	> 2000 mg/kg, 24 Hours, ECHA
	LD50	Rat	> 2000 Hig/kg, 24 Hours, ECHA
	Inhalation LC50	Not available	
	Oral	Not available	
	LD50	Mouse	5400 mg/kg, ECHA
			5040 mg/kg, HSDB
		Rat	11700 mg/kg, ECHA
		Nat	
0 "	(0.40, 407, 40.0)		6730 mg/kg, HSDB
Soaium	carbonate (CAS 497-19-8)		
	Acute Dermal		
	LD50	Rabbit	> 2000 mg/kg, ECHA
		Rat	> 2000 mg/kg, ECHA
	Inhalation		,
	LC50	Guinea pig	800 mg/m3, 2 Hours, ECHA
			0.8 mg/L, 2 Hours
		Mouse	1200 mg/m3, 2 Hours, ECHA
			1.2 mg/L, 2 Hours
		Rat	2300 mg/m3, 2 Hours, ECHA
		Nat	_
	01		2.3 mg/L, 2 Hours
	Oral LD50	Rat	4090 mg/kg, RTECS
	LDOO	nat	2800 mg/kg, ECHA, HSDB
Cadium	h. drag. lfita (CAC 7775 44 C)		2000 Hig/kg, ECHA, HSDB
Sodium	hydrosulfite (CAS 7775-14-6) Acute		
	Dermal		
	LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
	Inhalation		
	LC50	Rat	> 22 mg/L, 4 Hours, ECHA
			> 5.5 mg/L, 4 Hours, ECHA
	Oral		
	LD50	Rat	2500 mg/kg, ECHA
Sodium	metabisulfite (CAS 7681-57-4	4)	
	Acute		
	Dermal	0.1000	4000 www.ll. w. 000T
	LD50	Guinea pig	> 1000 mg/kg, CSST
		Rat	> 2000 mg/kg, 24 Hours, ECHA
	Inhalation	Dat	> 22 mg/L 4 Hours EOUA
	LC50	Rat	> 22 mg/L, 4 Hours, ECHA
			> 5.5 mg/L, 4 Hours, ECHA
	Oral LD50	Rat	3200 mg/kg ECHA
	LDJU	ιται	3200 mg/kg, ECHA
			1630 mg/kg, ECHA

#20198 Page: 5 of 9 Issue date 27-November-2018

Components **Species Test Results**

> 1540 mg/kg, ECHA 1420 mg/kg, ECHA

1131 mg/kg, BASF AG Ludwigshafen

[iuclid 2000]

Sheep 2515 mg/kg, HSDB

2.5 g/kg, HSDB

Sodium sulfite (CAS 7757-83-7)

Acute

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 22 mg/L, 4 Hours, ECHA

> 5.5 mg/L, 4 Hours, ECHA

Oral

LD50 Rat 2150 - 2610 mg/kg, ECHA

> 2746 mg/kg, ECHA 2610 mg/kg, ECHA

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available. Not available. Erythema value Oedema value Not available.

Serious eye damage/eye

irritation

Causes serious eye damage.

Corneal opacity value Not available. Iris lesion value Not available. Conjunctival reddening Not available.

value

Not available.

Conjunctival oedema value Recover days Not available.

Respiratory or skin sensitization Canada - Alberta OELs: Irritant

> Sodium metabisulfite (CAS 7681-57-4) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity See below.

IARC Monographs. Overall Evaluation of Carcinogenicity

Sodium metabisulfite (CAS 7681-57-4) Volume 54 - 3 Not classifiable as to carcinogenicity to humans. Sodium sulfite (CAS 7757-83-7) Volume 54 - 3 Not classifiable as to carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Not available. **Teratogenicity** Specific target organ toxicity -Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological Information

Ecotoxicity See below

#20198 Page: 6 of 9 Issue date 27-November-2018 Ecotoxicological data Components **Species Test Results** Citric Acid (CAS 77-92-9) Acute 120 mg/L, 72 hr EC50 Crustacea Daphnia magna Aquatic Acute Fish LC50 Bluegill (Lepomis macrochirus) 1516 mg/L, 96 hr Sodium carbonate (CAS 497-19-8) Crustacea EC50 Daphnia 265 mg/L, 48 Hours Aquatic Crustacea EC50 Water flea (Ceriodaphnia dubia) 156.6 - 298.9 mg/L, 48 hours Fish LC50 Bluegill (Lepomis macrochirus) 300 mg/L, 96 hours Sodium hydrosulfite (CAS 7775-14-6) Algae IC50 Algae 120 mg/L, 72 Hours Crustacea EC50 Daphnia 98 mg/L, 48 Hours Sodium metabisulfite (CAS 7681-57-4) Algae IC50 Algae 48 mg/L, 72 Hours Sodium sulfite (CAS 7757-83-7)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) 660 mg/L, 96 hours

Persistence and degradability Bioaccumulative potential

No data is available on the degradability of this product.

Mobility in soil

No data available. Mobility in general Not available. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

13. Disposal Considerations

Disposal instructions Consult authorities before disposal. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

General

TDG: Marine Pollutants Exemption. 1.45.1.: Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply to substances that are classified as marine pollutants in accordance with section 2.43 of Part 2, Classification, if they are in transport solely on land by road vehicle or railway vehicle. However, substances may be identified as marine pollutants on a shipping document and the required dangerous goods safety marks may be displayed when they are in transport by road or railway vehicle. (SOR/2008-34, s. 23)

DOT: CFR 171.4: The requirements of this subchapter specific to marine pollutants does not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft, except when all or part of the transportation is by vessel.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

#20198 Page: 7 of 9 Issue date 27-November-2018

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous

No

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA)

Hazardous substance

Section 112(r) (40 CFR

68.130)

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Sodium metabisulfite (CAS 7681-57-4) Listed.

US - Minnesota Haz Subs: Listed substance

1,2-Propanediol (CAS 57-55-6) Listed. Sodium metabisulfite (CAS 7681-57-4) Listed.

US - New Jersey RTK - Substances: Listed substance

1,2-Propanediol (CAS 57-55-6) Sodium hydrosulfite (CAS 7775-14-6) Sodium metabisulfite (CAS 7681-57-4)

US - Texas Effects Screening Levels: Listed substance

1,2-Propanediol (CAS 57-55-6)Listed.Citric Acid (CAS 77-92-9)Listed.Sodium carbonate (CAS 497-19-8)Listed.Sodium hydrosulfite (CAS 7775-14-6)Listed.Sodium metabisulfite (CAS 7681-57-4)Listed.Sodium sulfite (CAS 7757-83-7)Listed.

US. Massachusetts RTK - Substance List

Sodium hydrosulfite (CAS 7775-14-6) Sodium metabisulfite (CAS 7681-57-4)

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

#20198 Page: 8 of 9 Issue date 27-November-2018

US. Pennsylvania Worker and Community Right-to-Know Law

1,2-Propanediol (CAS 57-55-6)

Sodium hydrosulfite (CAS 7775-14-6)

Sodium metabisulfite (CAS 7681-57-4)

US. Rhode Island RTK

US. California Proposition 65

1,2-Propanediol (CAS 57-55-6) Sodium hydrosulfite (CAS 7775-14-6)

Sodium metabisulfite (CAS 7681-57-4)

Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date 27-November-2018

Version # 02

Effective date 12-February-2018

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Redbook revision # 17, 12/14/17

#20198 Page: 9 of 9 Issue date 27-November-2018